


Oil Pattern Distance	44	Reverse Brush Drop	40	Oil Per Board	Multi ul
Forward Oil Total	11.925 mL	Reverse Oil Total	13.75 mL	Volume Oil Total	25.675 mL
Tank Configuration	Multi Tank	Tank A Conditioner	Fire	Tank B Conditioner	Ice

	START	STOP	LOADS	MICS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	40	18	111	0.0	5.1	5.1	4440
2	2L	2R	1	40	18	37	5.1	7.6	2.5	1480
3	8L	8R	2	40	18	50	7.6	12.7	5.1	2000
4	10L	10R	1	45	18	21	12.7	15.2	2.5	945
5	11L	11R	2	45	18	38	15.2	20.3	5.1	1710
6	13L	13R	2	45	18	30	20.3	25.4	5.1	1350
7	2L	2R	0	45	18	0	25.4	38.0	12.6	0
8	2L	2R	0	45	22	0	38.0	44.0	6.0	0

	START	STOP	LOADS	MICS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	45	26	0	44.0	39.0	-5.0	0
2	14L	14R	2	45	22	26	39.0	32.8	-6.2	1170
3	13L	13R	2	45	18	30	32.8	27.7	-5.1	1350
4	12L	12R	2	45	18	34	27.7	22.6	-5.1	1530
5	11L	11R	2	45	14	38	22.6	18.7	-3.9	1710
6	10L	10R	2	45	14	42	18.7	14.8	-3.9	1890
7	9L	9R	1	40	14	23	14.8	12.9	-1.9	920
8	2L	2R	4	35	14	148	12.9	5.0	-7.9	5180
9	2L	2R	0	35	14	0	5.0	0.0	-5.0	0



Cleaner Ratio Main Mix: NA Forward  
 Cleaner Ratio Back End Mix: NA Reverse  
 Cleaner Ratio Back End Distance: NA Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



--

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.65	1.88	1.02	1.02	1.88	3.65

